	Application No.	Applicant(s)
Notice of Allowability	10/782,186	LAROIA ET AL.
	Examiner	Art Unit
	Julio R. Perez	2617
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>11/02/07</u> .		
2. The allowed claim(s) is/are <u>1-50</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
`(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informal P	Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. X Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. ⊠ Examiner's Amendr	
Paper No./Mail Date <u>07/18/07</u> 4. ☐ Examiner's Comment Regarding Requirement for Deposit	8. 🗌 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9. 🗌 Other	

Application/Control Number: 10/782,186

Art Unit: 2617

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Attorney Michael P. Straub (36941) on November 13, 2007.

Spatial Control

IN THE CLIAMS:

Claim 31, lines 1-2, delete "embodying machine" and insert -- encoded with computer --.

Claim 32, lines 1-2, delete "embodying machine" and insert -- encoded with computer --.

Claim 36, line 1, delete "computer readable medium" and insert -- device --.

Claim 39, line 1, delete "39." and insert -- Claim 39 (New): --.

Claim 45, line 1, delete "machine readable medium embodying machine" and insert -- computer readable medium encoded with computer --.

Claim 46, line 1, delete "machine readable" and insert -- computer readable --.

Claim 47, line 1, delete "machine readable" and insert -- computer readable --.

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Julio R. Perez whose telephone number is (571) 272-7846. The examiner can normally be reached on 10:30 - 6:30 PM.

Application/Control Number: 10/782,186 Page 3

Art Unit: 2617

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William G. Trost can be reached on (571) 272-7872. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Julio R Perez Examiner Art Unit 2617

11/14/07

JP

WILLIAM TROST SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600